



# DELL ULTRASHARP 43 4K USB-C HUB MONITOR

## U4323QE

Designed for more



**THE WORLD'S # 1  
MONITOR COMPANY\***

**DELL** Technologies

\* Dell monitors are #1 Worldwide for 8 years (2014 to 2021)! Source: IDC  
Worldwide Quarterly PC Monitor Tracker, Q1 2022

ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

## Designed for more

Multiply your productivity with this 42.5" monitor featuring multi-PC connectivity, 4 unique FHD partitions via iMST, ComfortView Plus<sup>1</sup> and wired Ethernet.



### Extended multitasking and collaboration

Redefine productivity with a 42.5" 4K monitor that comes with iMST, a feature that allows you to display (up to 4 FHD) screen partitions via a single PC connection. Multitask efficiently by connecting up to 4 PCs and control them with a single keyboard and mouse via KVM.

### Productivity Hub

Streamline your workspace with a USB-C Hub monitor that wakes and powers your laptop, connects you to the Ethernet and a host of other devices. Maximize productivity with even more extensive connectivity options and faster 10Gbps transfer speed.

### Skillfully crafted

Connect external devices without having to reach to the back of the monitor with intuitively designed quick access, pop-out front facing ports. Easy to use with full adjustability, you can be work the way you want and be comfortable all day. Reduce harmful blue light emission without sacrificing color performance with built-in ComfortView Plus<sup>1</sup>.

## ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

### Connect up to 4 PC sources

Work on up to four different PCs using a single keyboard and mouse. KVM and Auto KVM enable seamless switching from one PC input to another. Picture-by-Picture / Picture-in-Picture features further enhance your working options.


### Quadruple view

Expand your productivity by organizing your display in up to four unique FHD partitions via iMST when connected to a single PC.

### Outstanding clarity

See your work on a 42.5" screen with 4K (3,840 x 2,160) resolution.

Productivity hub Monitor that comes with **USB-C** (up to 90W power delivery), **RJ45** (wired Ethernet), super speed **USB 10Gbps**.



Optimize eye comfort with built-in **ComfortView Plus<sup>2</sup>** that reduces harmful blue light emissions without sacrificing color performance.

### Adjust to your comfort

Tilt, swivel and height adjustable (60mm max).

### Easy-to-use joystick control

To navigate through the On-Screen Display (OSD) menu.



### Quick-access ports

Enjoy the convenience of front-facing, pop-out USB-A and USB-C (15W charging) ports to connect and charge your devices.

### Premium platinum silver finish

For a polished look that complements the home and office.

ENERGY STAR®  
EPEAT® Gold registered.

[Click here to explore the Dell UltraSharp 43 4K USB-C Hub Monitor – U4323QE](#)

1 Compatible with select Dell PCs


2 TÜV Rheinland certified – Low Blue Light Hardware Solution and Flicker Free (ID 111250987). For more details, visit [www.tuv.com](http://www.tuv.com).

ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

## Connectivity that drives productivity

USB-C Hub monitors offer extensive connectivity options including USB-C (up to 90W power delivery), RJ45 for wired Ethernet access, super speed USB for fast data transfers, and more.



1 Dell adheres to standard USB-C specifications and protocol. Functionality with non-Dell USB-C systems may vary.

2 Via quick access USB-C port.

3 The power sync feature on this Dell USB-C Monitor enables start up and wake-on-demand on compatible Dell PCs. Please check your Dell PC to ensure support of this feature.

4 MAC Address pass-through functionality is tested to work with most Dell PC systems. Functionality on non-Dell systems may vary.

ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

Multitask efficiently with four FHD partitions



## Connect up to four PCs

Work on up to four different PCs using a single keyboard and mouse. KVM and Auto KVM enable seamless switching from one PC input to another. Picture-by-Picture / Picture-in-Picture features further enhance your working options.

## Quadruple view

Expand your productivity by organizing your display in up to four unique FHD partitions via Internal Multi-Stream Transport (iMST) when connected to a single PC. No external software or DisplayPort splitter needed.

ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

## A step forward in design

Crafted with a premium platinum silver finish, this stylish Dell UltraSharp monitor shines in both home and office environments.



### Designed with purpose

The small base and elegant cable management system hide cords within the monitor riser.

### Easy-to-use joystick control

Navigate the on-screen menu and adjust settings with the easy-to-use joystick control.

### Adjust to your comfort

Experience made-for-you comfort by tilting, swiveling, and adjusting the height of your monitor (60mm max).



# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

## Enhanced productivity

Dell Display Manager enhances everyday productivity through comprehensive management tools, giving you optimal front of screen experience, efficient display management, and easy, effortless multitasking.

### Modern Intuitive User Interface

New modern user interface for ease of use and personalization of features with Menu launcher

### Productive at every level

Easy Arrange allows you to easily tile multiple applications across one or more screens with 46 pre-set window partitions and the ability to personalize up to five windows, giving you improved multitasking abilities.

### Stay updated

Get automatic notification anytime for new updates on monitor firmware<sup>1</sup> and software.

### Optimize front of screen experience

Get uniform color experience from your monitor seamlessly by matching the color preset of the monitor<sup>1</sup> and the supported ICC profile.


### Easy setup and sharing of accessories

Setup a single keyboard and mouse to be shared easily between multiple PCs with USB KVM wizard<sup>1</sup>. Quick access menu or hotkey allow convenient fast switching between PCs.

### Easy deployment

DDM is compatible with management tools such as SCCM, InTune and Command Line Interface scripts for easy IT integration and deployment with asset management.

Learn more about [Dell Display Manager](#).



<sup>1</sup> Select models only.



## RECOMMENDED ACCESSORIES



### Dell UltraSharp 4K Webcam | WB7022

Experience best image quality in its class with the world's most intelligent 4K webcam.<sup>1</sup>



### Dell Premier Wireless ANC Headset | WL7022

Collaborate with ease anywhere with this Teams certified wireless headset which offers active noise cancellation and smart sensors that automatically mute and unmute your call.



### Dell Premier Multi-Device Wireless Keyboard and Mouse | KM7321W

Multitask seamlessly across three devices with this premium full-sized keyboard and sculpted mouse combo with programmable shortcuts and 36-month battery life.<sup>2</sup>

1 Based on an independent user study of 20 experienced webcam users commissioned by Dell. Participants evaluated the brightness, color saturation and sharpness of live web meeting video streamed with the Dell UltraSharp webcam and leading competitive external 4K personal conferencing webcams in uniform, low and high contrast lighting conditions (No physical webcams nor brands were shown to participants) (June 2021).

2 Based on Dell analysis of battery life usage model calculations, Nov. 2020. Results vary depending on use, operating conditions and other factors.

ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

## Sustainability on Dell Monitors



### Environmental standards

This monitor uses 85% PCR (Post-consumer Recyclable) plastic in the design<sup>1</sup>, 90% recycled aluminum and meets the latest environmental standards, such as ENERGY STAR® and is registered EPEAT® Gold<sup>2</sup>.

### Eco-conscious packaging

Designed with the environment in mind, Dell commercial monitors come in 100% recyclable cardboard packaging.<sup>3</sup>

### Energy conservation

Save energy when your monitor is not in use with PowerNap<sup>4</sup>, a feature that dims or puts your monitor to sleep when it's not in use.

<sup>1</sup> By weight of the total weight of plastic parts in product. Excludes printed circuit boards, labels, cables, connectors, electronic components, optical components, ESD components, EMI components adhesives, and coatings.

<sup>2</sup> EPEAT registered where applicable. EPEAT registration varies by country. See [www.epeat.net](http://www.epeat.net) for registration status by country.

<sup>3</sup> The outer box/corrugate cushion packaging and recycled fibers in Dell commercial monitor packaging (excluding D-series) are made from corrugate and virgin cardboard material.

<sup>4</sup> Excludes foam cushioning and plastic bags.

<sup>5</sup> Enabled by Dell Display Manager

## ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

### DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE TECHNICAL SPECIFICATION

<b>DIAGONAL VIEWING SIZE</b>	107.95 cm 42.51 inches
<b>PRESET DISPLAY AREA (H X V)</b>	941,184 mm x 529,416 mm 37.05" x 20.84"
<b>MAXIMUM PRESET RESOLUTION</b>	3840 x 2160 @ 60Hz
<b>PANEL TYPE</b>	IPS Technology
<b>DISPLAY SCREEN COATING</b>	Anti-glare treatment of the front polarizer (3H) hard coating
<b>VIEWING ANGLE</b>	178° vertical / 178° horizontal
<b>PIXEL PITCH</b>	0.2451 mm x 0.2451 mm
<b>PIXEL PER INCH (PPI)</b>	103.6
<b>CONTRAST RATIO</b>	1000 to 1 (typical)
<b>ASPECT RATIO</b>	16:9
<b>BACKLIGHT TECHNOLOGY</b>	LED
<b>BRIGHTNESS</b>	350 cd/m <sup>2</sup> (typical)
<b>COLOR GAMUT</b>	95% sRGB, 1.07 billion colors
<b>RESPONSE TIME</b>	5 ms gray to gray in Fast mode 8 ms gray to gray in Normal mode
<b>HDR READY</b>	No
<b>CONNECTIVITY</b>	<ul style="list-style-type: none"><li>· 2 x DP 1.4</li><li>· 2 x HDMI 2.1 (TMDS)<sup>1</sup></li><li>· 1 x USB-C (DP:14 HB3 (2lane)/ HBR2 (4 Lane), Power Delivery upto 90W, 2/4 lane switching), USB 3.2 Gen 2 10Gbps upstream</li><li>· 3 x USB-C (USB 3.2 Gen2, 10Gbps KVM) Upstream port, Data Only</li><li>· 3 x super speed USB-A (USB 3.2 Gen2 10Gbps) downstream ports</li><li>· 1 x super speed USB A (USB 3.2 Gen2 10Gbps) with B.C 1.2</li><li>· 1 x USB C (USB 3.2 Gen2 10 Gbps, Up to 15W charging) downstream Quick access port</li><li>· 1 x Analog 2.0 audio line out (3.5mm jack)</li><li>· 1 x RJ45 Port (PXE boot, MAC address pass thru, WoL, 1Gbps) Quick Access port</li></ul>
<b>ADJUSTABILITY</b>	Height adjustable (60mm) Tilt (-5° to 10°) Swivel (-20° to 20°) Pivot (NA)
<b>PBP / PIP</b>	PbP (Yes) PiP (Yes)
<b>KEYBOARD, VIDEO AND MOUSE (KVM)</b>	Yes, KVM and Auto KVM
<b>DAISY CHAIN AVAILABILITY</b>	Yes - iMST (Internal) for 4 unique FHD inputs from 1 PC
<b>AUDIO OUTPUT</b>	1 x Audio line-out <sup>2</sup>
<b>BUILT-IN SPEAKER</b>	Yes - 2 x 8W
<b>DELL DISPLAY MANAGER COMPATIBILITY</b>	Yes, Easy Arrange, Other key features
<b>SPECIFICATIONS - SERVICE / SUPPORT DETAILS</b>	3-Year Advanced Exchange Service and Premium Panel Exchange
<b>HEIGHT WITH STAND (COMPRESSED ~ EXTENDED)</b>	595.20 mm ~ 655.20 mm (23.43" ~ 25.80")
<b>WIDTH WITH STAND</b>	967.21 mm (38.08")
<b>DEPTH WITH STAND</b>	256.40 mm (10.09")
<b>HEIGHT WITHOUT STAND</b>	560.50 mm (22.07")
<b>WIDTH WITHOUT STAND</b>	967.21 mm (38.08")
<b>DEPTH WITHOUT STAND</b>	64.08 mm (2.52 in)

1 Not supporting the HDMI 2.1 optional specification, including HDMI Ethernet Channel (HEC), Audio Return Channel (ARC), standard for 3D format and resolutions, standard for 4K digital cinema resolution, HDR, Fixed Rate Link(FRL), Enhanced audio return channel (eARC), Variable Refresh Rate (VRR), Quick Media Switching (QMS), Quick Frame Transport (QFT), Auto Low Latency Mode (ALLM), Display Stream Compression (DSC), and Source-Based Tone Mapping (SBTM).

2 Connect Speakers. Headphone use is not supported for the audio line out connector.

## ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

### DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE TECHNICAL SPECIFICATION

<b>WEIGHT (PANEL ONLY - FOR VESA MOUNT)</b>	13.16 kg (29.01 lb)
<b>WEIGHT (WITH STAND ASSEMBLY AND CABLES)</b>	18.55 kg (40.90 lb)
<b>WEIGHT (WITH PACKAGING)</b>	25.23 kg (55.62 lb)
<b>SECURITY</b>	Security lock slot (cable lock sold separately) Anti-theft stand lock slot (to lock stand to monitor using screw)
<b>COMPLIANT STANDARDS</b>	<ul style="list-style-type: none"><li>ENERGY STAR® Certified Monitor</li><li>EPEAT® Gold registered where applicable</li><li>RoHS Compliant</li><li>BFR/PVC Free (Halogen-free) (excluding external cables)</li><li>Arsenic-Free glass and Mercury-Free for the panel only</li></ul>
<b>FLAT PANEL MOUNT INTERFACE</b>	VESA mounting holes (100 mm x 100 mm and 200 mm x 200 mm - behind attached VESA Cover)
<b>TEMPERATURE RANGE</b>	Operating: 0°C to 40°C (32°F to 104°F) Non-operating: -20°C to 60°C (-4°F to 140°F)
<b>HUMIDITY RANGE</b>	Operating: 10% to 80% (non-condensing) Non-Operating: 5% to 90% (non-condensing) - Storage and Shipping
<b>ALTITUDE</b>	Operating: 5000 m (16404 ft) max Non-Operating: 12192 m (40000 ft) max
<b>VOLTAGE REQUIRED</b>	100 VAC to 240 VAC / 50 Hz or 60 Hz + 3 Hz / 2.6 A (max)
<b>ENERGY EFFICIENCY CLASS (A TO G SCALE)</b>	G 
<b>POWER CONSUMPTION NORMAL OPERATION</b>	0.3 W (Off Mode) 0.3 W (Standby Mode) 52.1 W (On Mode) 250 W (Max)
<b>WHAT'S INCLUDED</b>	Monitor, Stand Riser, Stand Base 1 x Power cable 1 x Type-C Gen 2 PD 3.0 (C-C cable) - 1 m 1 x DP Cable (DP to DP) - 1.8 m 1 x Type-C Gen 2 - 1.8 m (Type A to Type C) 1 x HDMI Premium High Speed (HDMI-HDMI) - 1.8 m Quick setup guide Safety, Environmental and Regulatory Information

## PORTS AND SLOTS



- |   |  |  |
|---|--|--|
| 1 Security lock slot (based on Kensington Security Slot™) | 7 USB-C 1 upstream port (Video + Data)       | 13 RJ45 connector  |
| 2 Power connector   | 8 Audio line-out port <sup>1</sup>           | 14 Stand lock  |
| 3 HDMI 1 port   | 9 USB-C 2 upstream port (data only)          | 15 Quick access USB port 2 - USB-C data port                         |
| 4 HDMI 2 port   | 10 USB-C 3 upstream port (data only)         | 16 Quick access USB port 2 - USB-A Super speed 10Gbps (USB 3.2 Gen2) |
| 5 DisplayPort in 1  | 11 USB-C 4 upstream port (data only)         | 17 Speakers (2 x 8W)   |
| 6 DisplayPort in 2  | 12 Super speed USB 10Gbps (USB 3.2 Gen2) (3) |  |

1 Connect Speakers. Headphone use is not supported for the audio line out connector.

ULTRASHARP MONITOR

# DELL ULTRASHARP 43 4K USB-C HUB MONITOR – U4323QE

## Steadfast reliability

As the No. 1 monitor company worldwide\*, we take pride in our unyielding commitment to quality and the utmost in customer satisfaction.



### Peace of mind

Dell Premium Panel Exchange<sup>1</sup> allows a free monitor replacement during the Limited Hardware Warranty<sup>2</sup> period, even if only one bright pixel is found.

### Minimize downtime

Your monitor comes with a 3-year Advanced Exchange Service<sup>3</sup> so that if a replacement becomes necessary, it will be shipped to you the next business day during your 3-year Limited Hardware Warranty.<sup>2</sup>

### Get a higher level of support

Upgrade to 24x7 specialized technical phone support with the Dell ProSupport option.<sup>4</sup>

**DELL**Technologies

\* Dell monitors are #1 Worldwide for 8 years (2014 to 2021)! Source: IDC Worldwide Quarterly PC Monitor Tracker, Q1 2022

1 Applicable to Dell UltraSharp, P Series, and C Series desktop monitors.

2 For copy of Ltd Hardware Warranty, write to Dell USA LP, Attn: Warranties, One Dell Way, Round Rock, TX 78682 or see <https://www.dell.com/warranty>.

3 Advanced Exchange: Dell will send you a replacement monitor the next business day in most cases if deemed necessary after phone/online diagnosis. Shipping times may vary by location and for monitors 55" and above. Fee charged for failure to return defective unit. See [dell.com/servicecontracts/global](https://www.dell.com/servicecontracts/global).

4 Availability varies, please visit [www.dell.com/support](https://www.dell.com/support) for details. In some countries, hours for in-region support may vary. Support after local business hours may be provided in a language other than the local language.

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2022 Dell Inc. or its subsidiaries. All rights reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum.

