



# Endless entertainment

Dell 34 Plus USB-C Monitor

MODEL: S3425DW

The world's # 1 monitor company\*



### Enjoy an immersive entertainment experience on a 34-inch, 4-star certified monitor for eye comfort.<sup>1</sup>

#### **Enhanced eye comfort**

This 34" curved monitor achieves TÜV Rheinland® 4-star eye comfort certification — the latest industry standard for eye comfort to help reduce signs of eye fatigue.

Benefit from improved ComfortView Plus, a built-in feature that reduces blue light emission to ≤35%, and AMD FreeSync™ Premium (up to 120Hz refresh rate) that delivers smoother motion visuals, ensuring seamless viewing experience for your entertainment.

Enjoy vibrant, true-to-life colors with 99% sRGB and 95% DCI-P3 coverage. The VA panel with 3000:1 contrast ratio and HDR readiness delivers stunning depth, detail and realism.

#### **Built-in acoustic excellence**


Enjoy impressive audio with the integrated dual 5W speakers with a wide dynamic range. Easy options of 5 preset and 1 customizable audio profiles to tailor for every moment.

#### Easy connectivity and all-day comfort

Keep your desk tidy and organized with just one USB-C cable that delivers up to 65W of power.

With front facing pop-out quick-access ports USB-C (with up to 15W charging) and USB Type-A ports, connecting devices is simple and hassle-free. For further convenience, the side-access design includes both an HDMI and a USB Type-A port, allowing for quick and easy setup.

Additionally, you can customize your viewing experience by tilting, slanting, or adjusting the monitor's height for all-day comfort.



Click here to explore more.

#### World's number 1 monitor company\*

We deliver world-class monitors that have gone through rigorous development processes and stringent tests to ensure dependable performance. Get peace of mind with unmatched warranty and support options. Being environmentally forward in thinking, our monitors adhere to environment standards and are made with sustainable materials.

### Smart design. Effortless experience.





#### **Easy connectivity**

Keep your desk organized and clutter-free with a single USB-C cable (up to 65W power delivery).

Plus, the side-access design includes an HDMI and a USB Type-A port, ensuring quick and convenient setup across multiple devices.



#### Easy-to-use

Navigate the onscreen menu and adjust settings with a convenient joystick control.



Conveniently share and deliver content via pop-out quick access ports placed at the front of the display.



Tilt, slant and adjust the height (up to 130mm) of your monitor for all-day comfort.

#### **Dell Display and Peripheral Manager**

Easy Arrange<sup>1</sup> tiles apps across screens with pre-set partitions and customizes up to five windows, enhancing multitasking. Easy Arrange Memory saves and restores app profiles manually, on schedule, or at start-up.





## Made for you, sustainably

#### Intentional design in every part

At the heart of our design is a commitment to sustainability. That's why our monitor is crafted with recycled materials from top to bottom, including up to 85% post-consumer recycled plastic<sup>1</sup>, 100% recycled aluminum<sup>2</sup>, 50% recycled steel<sup>3</sup>, and at least 20% recycled glass<sup>4</sup>, making up to 46% recycled content by weight<sup>5</sup>. Using these materials helps reduce waste and lower environmental impact.

#### **Environmental standards**

This monitor is certified ENERGY STAR®, meaning it has met high standards for energy efficiency.

#### Seamlessly modernize your tech


We can help you responsibly and securely retire your legacy IT equipment, regardless of brand, while addressing your sustainability goals.

#### Packaging with purpose

This monitor ships in a box made from 100% renewable materials. We are reducing plastic waste wherever possible and transitioning to a responsible fiber-based solution.<sup>6</sup> Plus, we're saving over 600 trees each year by using less paper in packaging.<sup>7</sup>

- 1 Percentage is based on plastic weight. Based on internal analysis, March 2025. Up to 86.9% post-consumer recycled plastic and up to 46.6% closed loop ITE-derived plastic.
- 2 Based on internal analysis, January 2025. Recycled aluminum is in the monitor stand
- $3\,$   $\,$  Based on internal analysis, January 2025. Recycled steel is in the monitor head.
- 4 Applicable to all new monitors launching in CY 2025. Recycled glass is present in monitor panel. Based on internal analysis, January 2025
- Based on internal analysis, January 2025.
- 6 Applies to all Dell monitors launched since 2023. Made from FSC mix sources which is a mix of material from FSC certified forests, recycled content and/or FSC controlled wood. Based on internal analysis, January 2025. Cushions now made from corrugated materials.
- 7 Based on internal analysis, February 2025. Applies to monitors launching in 2025. Reductions based on monitor type and attributed to the quick start guide size and calibration sheet digitization. Calculation for trees saved based on: Detailed Calculator | 10 THOUSAND TREES. https://www.omnicalculator.com/everyday-life/paper-weight.

### Ports & Slots



- 1 USB 5Gbps Type-A downstream port
- 2 HDMI
- 3 HDMI
- **4** USB-C 5Gbps upstream (DisplayPort 1.4 Alt Mode, Power Delivery up to 65W)
- 5 Stand lock

- 6 Security lock slot<sup>1</sup>
- **7** Power connector
- 8 Speakers
- 9 USB-C 5Gbps downstream port (Power Delivery up to 15W)
- 10 USB 5Gbps Type-A downstream port (Battery Charging 1.2 at 2A)

FEATURE	TECHNICAL SPECIFICATION
MODEL	Dell 34 Plus USB-C Monitor - S3425DW
DIAGONAL VIEWING SIZE	864.3 mm (34.0 in.)
PANEL TYPE	Vertical Alignment (VA) Technology
MAXIMUM PRESET RESOLUTION AND REFRESH RATE	3440 x 1440 up to 120 Hz
VIEWING ANGLE	Horizontal: 178° Vertical: 178°
PIXEL PITCH	Horizontal: 0.23175 mm Vertical: 0.23175 mm
PIXEL PER INCH (PPI)	109
CONTRAST RATIO	3000:1 (typical)
ASPECT RATIO	21:9
BACKLIGHT TECHNOLOGY	LED Edgelight System
BRIGHTNESS	300 cd/m² (typical)
HDR	HDR10
RESPONSE TIME	<ul> <li>Normal mode: 5 ms (gray to gray)</li> <li>Fast mode: 3 ms (gray to gray)</li> <li>Extreme mode: 1 ms (gray to gray)</li> </ul>
COLOR GAMUT	• sRGB 99% (CIE 1931) (typical) • DCI-P3 95% (CIE 1976) (typical)
COLOR DEPTH	1.07 billion colors
TÜV EYECOMFORT	4 star
CONNECTIVITY	Video port  • 2 x HDMI ports (HDCP 1.4 and 2.2) (Supports up to WQHD 3440 x1440, 120 Hz, 10 bit, FRL, HDR, VRR as per specified in HDMI 2.1)  USB port  • 1 x USB-C 5Gbps upstream port (DisplayPort 1.4 Alternate Mode, Power Delivery up to 65 W) (Supports up to 3440 x1440, 120 Hz, HDR, AdaptiveSync)
	<ul> <li>1 x USB 5Gbps Type-A downstream port</li> <li>1 x USB 5Gbps Type-A downstream port with Battery Charging 1.2</li> <li>1 x USB-C 5Gbps downstream port (Power Delivery up to 15 W)</li> </ul>
USB POWER DELIVERY	65 W
VARIABLE REFRESH RATE	• AMD FreeSync™ Premium • HDMI VRR
ADJUSTABILITY	<ul> <li>Height adjustment up to 130 mm</li> <li>Tilt -5°/+21°</li> <li>Swivel: Not Applicable</li> <li>Slant adjust -4°/+4°</li> </ul>
DISPLAY SCREEN COATING	Anti-glare with hard-coating 3H
PBP / PIP / KVM	Picture by Picture (PbP)     Picture in Picture (PiP)
SOFTWARE COMPATIBILITY	Dell Display and Peripheral Manager (DDPM) for Windows operating system     Dell Display and Peripheral Manager (DDPM) for macOS
REMOTE ASSET MANAGEMENT	Yes, using Dell Display and Peripheral Manager

FEATURE	TECHNICAL SPECIFICATION
VOLTAGE REQUIRED	100 VAC to 240 VAC/50 Hz or 60 Hz ± 3 Hz/2 A
POWER CONSUMPTION	0.3 W (Off mode) 0.3 W (Standby Mode) 31.0 W (On Mode) 175 W (Maximum) 33.0 W (Pon) 102.9 kWh (TEC)
AUDIO OUTPUT	2 Integrated 5 W speakers
BEZEL WIDTH - TOP	8.25 mm (0.33 in.)
BEZEL WIDTH – LEFT OR RIGHT	8.29 mm (0.33 in.)
BEZEL WIDTH - BOTTOM	13.80 mm (0.54 in.)
DIMENSIONS (WITH STAND) – HEIGHT (EXTENDED)	517.18 mm (20.36 in.)
DIMENSIONS (WITH STAND) - HEIGHT (COMPRESSED)	411.53 mm (16.20 in.)
DIMENSIONS (WITH STAND) – WIDTH	807.32 mm (31.78 in.)
DIMENSIONS (WITH STAND) – DEPTH	221.85 mm (8.73 in.)
DIMENSIONS (WITHOUT STAND) – HEIGHT	355.77 mm (14.01 in.)
DIMENSIONS (WITHOUT STAND) – WIDTH	807.32 mm (31.78 in.)
DIMENSIONS (WITHOUT STAND) – DEPTH	116.89 mm (4.60 in.)
STAND DIMENSIONS – HEIGHT (EXTENDED)	410.30 mm (16.15 in.)
STAND DIMENSIONS - HEIGHT (COMPRESSED)	371.90 mm (14.64 in.)
STAND DIMENSIONS - WIDTH	259.00 mm (10.20 in.)
STAND DIMENSIONS - DEPTH	221.85 mm (8.73 in.)
WEIGHT WITH PACKAGING	14.88 kg (32.80 lb)
WEIGHT WITH STAND ASSEMBLY AND CABLES	9.38 kg (20.68 lb)
WEIGHT WITHOUT STAND ASSEMBLY (WITHOUT CABLES)	6.91 kg (15.23 lb)
WEIGHT OF STAND ASSEMBLY	2.22 kg (4.89 lb)
FLAT PANEL MOUNT INTERFACE	VESA (100 mm x 100 mm)



FEATURE	TECHNICAL SPECIFICATION
SECURITY	Security lock slot (cable lock sold separately)
COMPLIANT STANDARDS	ENERGY STAR 8.0     RoHS Compliant     Product Safety, EMC and Environmental Datasheets     Dell Regulatory Compliance Home Page     Dell and the Environment     TÜV Eye Comfort 4 Star     BFR/PVC reduce monitor (Circuit boards are made from BFR/PVC-free laminates.).     Arsenic-Free glass and Mercury-Free for the panel only.
TEMPERATURE RANGE	• Operating: 0°C to 40°C (32°F to 104°F) • Non-Operating: -20°C to 60°C (-4°F to 140°F)
HUMIDITY RANGE	<ul> <li>Operating: 10% to 80% (non-condensing)</li> <li>Non-Operating: 5% to 90% (non-condensing)</li> </ul>
ALTITUDE	<ul><li>Operating: 5,000 m (16,400 ft) maximum</li><li>Non-Operating: 12,191 m (40,000 ft) maximum</li></ul>
WHAT'S INCLUDED	Monitor Side I/O-Cover Stand riser Stand base Power cable 1 x USB-C to C 10Gbps 100 W cable 1.00 m QR card Safety, Environmental, and Regulatory Information
STANDARD SERVICE PLAN	• (US/Canada) 1-year Advanced Exchange Service <sup>1</sup> • (WW) 3-year Advanced Exchange Service <sup>1</sup>

Technical specifications subject to change without prior notice. Product availability varies by country. Please contact your Dell representative for more information.

© 2025 Dell Inc. or its subsidiaries. All Rights Reserved. Dell Technologies, Dell, EMC, Dell EMC and other trademarks are trademarks of Dell Inc. or its subsidiaries. Other trademarks may be trademarks of their respective owners. USB Type-C® and USB-C® are registered trademarks of USB Implementers Forum. Thunderbolt and the Thunderbolt logo are trademarks of Intel Corporation in the U.S. and/or other countries.

<sup>1</sup> Advanced Exchange Service: Replacement part/unit dispatched, if needed, following completion of phone/online diagnosis. Fee charged for failure to return defective unit. Availability varies. Other conditions apply.