

Datasheet



DiskStation

# DS1525+

Synology

DiskStation

# DS1525+



## Flexible All-Purpose Data Management Platform

Synology DS1525+ is a versatile 5-bay storage solution that scales with your needs, with support for storage expansion,<sup>1</sup> 10GbE networking,<sup>2</sup> and SSD caching<sup>3</sup>. Built-in 2.5GbE networking provides excellent networking performance out of the box. Powered by Synology DiskStation Manager (DSM), this device is a flexible all-in-one solution for data sharing, synchronization, backup, and surveillance.

- **Dependable Performance**  
Up to 1,181/1,180 MB/s sequential read/write throughput<sup>4</sup> supports stable data transfers
- **Fast Networking**  
Built-in 2.5GbE ports for fast connectivity out of the box with support for 10GbE
- **Versatile Network Storage**  
Leverage built-in file and photo management, data protection, virtualization, and surveillance solutions
- **Capacity Expansion**  
Add 10 extra drive bays for up to 300 TB<sup>5</sup> of raw storage with two DX525 expansion unit<sup>1</sup>
- **Extendable Product Support**  
Backed by Synology's 3-year limited hardware warranty, extendable to 5 years in select markets<sup>6,7</sup>

---

## Versatile Storage for Any Purpose

The DS1525+ offers intuitive and comprehensive file management, media organization, and backup options right out of the box. Its capable performance, compact size, and versatile configuration options make it ideal for IT enthusiasts, creative professionals, and businesses of various sizes, from small firms to large enterprises as an edge device for branch offices or retail locations.

- Up to **1,181 MB/s sequential read** and **1,180 MB/s sequential write** performance<sup>4</sup> enables fast file sharing, syncing, streaming, and backup for multiple users
- **Two 2.5GbE ports** offer fast networking, with Link Aggregation supporting failover and load balancing capabilities
- Support for **10GbE networking** via **10GbE RJ-45 Network Upgrade Module** provides versatility and futureproofing
- Supports **5 × 2.5" SATA SSD** and **3.5" SATA HDD**.<sup>8</sup> Synology hard drives and SSDs are designed to integrate seamlessly with Synology systems, delivering exceptional reliability
- **Expandable to 15 drives for up to 300 TB of raw storage** with **two Synology DX525 expansion units**<sup>1</sup>
- Two built-in M.2 slots provide **SSD caching**<sup>3</sup> capability without occupying drive bays

---

## Ease of Use and Security Features

A suite of convenience and security features, combined with DSM's intuitive UI, ensures a seamless experience for users of all levels of expertise.

- Easily **access your system from any web browser** via QuickConnect
- Adaptive Multi-Factor Authentication (AMFA) triggers upon suspicious external logins, **providing an additional layer of security**
- Improve management efficiency with **customizable delegation roles**, allowing admins to quickly assign roles to non-admin users while restricting access to critical system settings
- **Active Insight**<sup>9</sup>, Synology's cloud-based fleet monitoring solution, leverages machine learning to detect malware and other malicious activity and automatically creates immutable snapshots to protect your data

---

## A Collaboration, Communication, and Organization Hub

Synology provides a private cloud solution for on-site and remote workers, as well as home users, to concurrently edit documents, share files, manage emails, send instant messages, manage photos, and more.

- **Synology Drive** serves as a centralized hub to keep your files labeled and organized for easy access, offering granular file sharing permissions and customizable security features to ensure file safety
- **Synology Photos** provides a comprehensive solution for storing, organizing, and sharing photos and videos, with powerful features suitable for both personal and professional use
- **Synology Office** enables users to collaborate on documents, spreadsheets, and presentation slides in real time, supported by convenient options such as file versioning for easy restoration and password protection
- **Synology Chat** brings teams together with one-on-one chats, group chats, and encrypted private channels over multiple platforms
- **Synology MailPlus<sup>10</sup>** provides a secure, reliable, and private email server
- **Synology Calendar** helps teams keep track of priorities with convenient calendar sharing and scheduling
- **Synology Hybrid Share<sup>11</sup>** enhances multi-site teamwork with a global hybrid cloud file system which combines the scalability of the cloud with the fast local access provided by Synology systems

## Reliable Virtualization and Containerization

Leverage your Synology system as **virtual machine storage**, and alternative container or VM host, with full certification for VMware® vSphere™, Microsoft® Hyper-V®, Citrix® XenServer™, and OpenStack environments.

- **Synology Storage Console** for VMware or Windows platforms lets you manage VM storage components directly from your hypervisor. VMware VAAI integration and Windows ODX help offload storage operations and speed up data transfers
- **Host lightweight containers and VMs** for testing, sandboxing, and emergency recovery purposes with **Container Manager** and **Synology Virtual Machine Manager**, a native hypervisor that supports Windows, Linux, and virtual versions of DSM<sup>12</sup>

## Private Video Surveillance

**Synology Surveillance Station** transforms any Synology system into a powerful network video recorder (NVR).<sup>13</sup>


- 8,700+ supported camera models
- ONVIF support for a broader selection of cameras
- Private, subscription-free storage of recordings
- Access through web browsers, desktop clients, and mobile apps
- Event-based rules to trigger specific actions
- Email, SMS, and push notification options

- Simultaneous recording to the cloud with [C2 Backup for Surveillance](#) for an extra layer of data protection and more convenient sharing<sup>14</sup>

#### Notes:

1. DS1525+ supports up to 15 drives with two [Synology DX525](#) expansion units, sold separately.
2. One 10GbE RJ-45 port can be added to the DS1525+ with Synology E10G22-T1-Mini Network Upgrade Module.
3. Synology Enterprise SATA SSDs or M.2 NVMe SSDs enable SSD caching. M.2 NVMe SSDs can also create storage pools. Drives sold separately.
4. Performance figures obtained through internal testing by Synology. Actual performance may vary depending on the testing environment, usage, and configuration. See [performance charts](#) for more information.
5. Raw capacity calculated using 20 TB drives. Usable storage capacity may vary depending on drives used and RAID configuration.
6. Up to 5 years of warranty are available as an additional bundle with Extended Warranty Plus or Extended Warranty, both 2-year extended warranty service add-ons available in select regions. Check availability for [Extended Warranty](#) or [Extended Warranty Plus](#).
7. The warranty period starts from the date of purchase as stated on your purchase receipt. Visit <https://www.synology.com/company/legal/warranty> for more information.
8. Compatible drives are mandatory. Please consult our [compatibility list](#) before purchasing hard drives. For more details, please refer to [this article](#).
9. Synology Active Insight includes three free licenses. Additional licenses can be added with the purchase of an annual [subscription](#).
10. Synology MailPlus includes five email accounts free of charge. Additional email accounts can be added with the purchase of Synology MailPlus License Packs. [Learn more](#)
11. Hybrid Share requires purchase of an annual or monthly [subscription](#). A free trial is available for each newly registered device.
12. Certain advanced features require [Virtual Machine Manager Pro](#). One Virtual DSM license is included. Additional Virtual DSM instances require the purchase of [Virtual DSM Licenses](#).
13. Surveillance Station includes two free licenses. Connecting more cameras and devices requires additional licenses. [Learn more](#)
14. C2 Backup for Surveillance requires purchase of an eligible [annual subscription](#). Each additional channel requires a separate subscription. A free trial is available.

# Hardware Overview



No.	Name	No.	Name
1.	Status indicator	8.	2.5GbE RJ-45 ports
2.	Drive status indicators	9.	Reset button
3.	Drive tray lock	10.	USB 3.2 Gen 1 port
4.	USB 3.2 Gen 1 port	11.	Power port
5.	Power button and indicator	12.	Network upgrade slot
6.	Drive trays	13.	Expansion ports
7.	Fans	14.	Kensington security slot

# Technical Specifications

## Hardware

### CPU

CPU Model	AMD Ryzen V1500B
CPU Quantity	1
CPU Architecture	64-bit
CPU Frequency	2.2 GHz
Hardware Encryption Engine	Yes

### Memory

System Memory	8 GB DDR4 ECC SODIMM
Memory Module Pre-installed	8 GB (8 GB x 1)
Total Memory Slots	2
Maximum Memory Capacity	32 GB (16 GB x 2)
Notes	Please select Synology memory modules for optimum compatibility and reliability. Synology will not provide complete product warranty or technical support if non-Synology memory modules are used for memory expansion.

### Storage

Drive Bays	5
Maximum Drive Bays with Expansion Unit	15 (DX525 × 2)
Drive Type	<ul style="list-style-type: none"><li>• 3.5" SATA HDD</li><li>• 2.5" SATA SSD</li><li>• M.2 2280 NVMe SSD</li></ul>
Hot Swappable Drive	Yes
Notes	Compatible drives are mandatory. Please consult our <a href="#">compatibility list</a> before purchasing hard drives. For more details, please refer to <a href="#">this article</a> .

### External Ports

RJ-45 2.5GbE LAN Port	2
USB 3.2 Gen 1 Port	2
Expansion Port	2

## PCIe

PCIe Expansion	1 x Gen3 ×2 network upgrade slot
----------------	----------------------------------

## Appearance

Size (Height x Width x Depth)	166 mm x 230 mm x 223 mm
-------------------------------	--------------------------

Weight	2.67 kg
--------	---------

## Others

System Fan	92 mm x 92 mm x 25 mm x 2 pcs
------------	-------------------------------

AC Input Power Voltage	100V to 240V AC
------------------------	-----------------

Power Frequency	50/60 Hz, Single Phase
-----------------	------------------------

## Temperature

Operating Temperature	0°C to 40°C (32°F to 104°F)
-----------------------	-----------------------------

Storage Temperature	-20°C to 60°C (-5°F to 140°F)
---------------------	-------------------------------

Relative Humidity	5% to 95% RH
-------------------	--------------

Maximum Operating Altitude	5,000 m
----------------------------	---------

# General DSM Specifications

## Storage Management

Maximum Single Volume Size	<ul style="list-style-type: none"><li>• 200 TB (32 GB memory required)</li><li>• 108 TB</li></ul>
----------------------------	---

Maximum Internal Volume Number	32
--------------------------------	----

SSD Read/Write Cache ( <a href="#">Determining cache size</a> )	Yes
---	-----

Supported RAID Type	Synology Hybrid RAID, Basic, JBOD, RAID 0, RAID 1, RAID 5, RAID 6, RAID 10
---------------------	--



## Notes

- Creating M.2 storage pools requires the use of Synology-verified SSDs, which are rigorously tested under extreme temperature conditions. Thermal parameters for SSDs and NAS units are fine-tuned to ensure optimal management of thermal conditions under I/O-intensive environments. ([Learn more](#))
- Usable capacity for each volume will be lower than the maximum volume size and is dependent on the filesystem and the amount of system metadata stored.
- Actual maximum storage pool and volume sizes depend on drive sizes used, the number of drive bays available, and the RAID configuration.
- Volumes over 108 TB require 32 GB of memory or more.

## File System

Internal Drives	Btrfs, ext4
External Drives	Btrfs, ext4, ext3, FAT32, NTFS, HFS+, exFAT

## File Services

File Protocol	SMB, AFP, NFS, FTP, WebDAV, Rsync
Maximum Number of SMB Connections (FSCT-Based) with RAM Expansion	40
Windows Access Control List (ACL) Integration	Yes
NFS Kerberos Authentication	Yes

## Account & Shared Folder

Maximum Local User Accounts	1,024
Maximum Local Groups	256
Maximum Shared Folder	256
Maximum Shared Folder Sync Tasks	8

## Virtualization

VMware ESXi 6.5 and VAAI	Yes
Windows Server 2022	Yes
Citrix Ready	Yes
OpenStack	Yes

## Security

Firewall, encryption shared folder, SMB encryption, FTP over SSL/TLS, SFTP, rsync over SSH, login auto block, Let's Encrypt support, HTTPS (customizable cipher suite)

## General Specifications

Supported Protocols	SMB1 (CIFS), SMB2, SMB3, NFSv3, NFSv4, NFSv4.1, NFS Kerberized sessions, iSCSI, HTTP, HTTPS, FTP, SNMP, LDAP, CalDAV
Supported Browsers	Chrome, Firefox, Edge, Safari
Supported Language	English, Deutsch, Français, Italiano, Español, Dansk, Norsk, Svenska, Nederlands, Русский, Polski, Magyar, Português do Brasil, Português Europeu, Türkçe, Český, ภาษาไทย, 日本語, 한국어, 繁體中文, 简体中文
Notes	For an updated list of supported browser versions, check the <a href="#">DSM Technical Specifications</a> .

## Packages and Applications

### Synology Drive

Synchronizes files across Windows®, macOS®, Linux®, Android™ and iOS. The built-in cross-platform portal allows access to data anytime and anywhere

Maximum Number of Users	80
Maximum Number of Hosted Files	500,000 (applies to files indexed or hosted by <a href="#">Synology Drive</a> . For file access through other standard protocols, refer to the File Services section above)

### File Station

Provides virtual drives, remote folders, Windows® ACL editor, compression/extraction of archived files, bandwidth control for specific users/groups, creation of sharing links, and transfer logs

### Hybrid Share

Efficiently synchronizes files across sites by keeping shared data on Synology C2 Storage and streaming files to Synology NAS worldwide on request. Frequently requested files are cached at each site for low-latency access C2 Storage for Hyper Backup and Hybrid Share requires purchase of an annual or monthly subscription. A free trial is available for each newly registered device.

### SAN Manager

Maximum iSCSI Target Number	64
Maximum LUN	128
LUN Clone/Snapshot, Windows ODX	Yes

### Virtual Machine Manager

Recommended Virtual Machine Instances	8 ( <a href="#">Learn more</a> )
---------------------------------------	----------------------------------

Recommended Virtual DSM Number ( <a href="#">Licenses required</a> )	8 (including 1 Free License)
---	------------------------------

---

## Hyper Backup

Supports local backup, network backup, and data backup to other servers and public clouds, including C2 Storage

---

## Snapshot Replication

Maximum Snapshots per Shared Folder	256
Maximum of System Snapshots	4,096

---

## Synology High Availability

Reduces service downtime by combining two identical NAS into a high-availability cluster

---

## Synology Chat

Maximum Number of Users	150
-------------------------	-----

---

## Synology Office

Maximum Number of Users	80
-------------------------	----

---

## Synology MailPlus / MailPlus Server

A secure, reliable, and private mail solution featuring high-availability, load balancing, security, and filtering options

Free Email Accounts	5 ( <a href="#">Additional accounts require purchase of licenses</a> )
Maximum Number of Users	100

---

## Surveillance Station

Default Licenses	2 ( <a href="#">Additional cameras require purchase of licenses</a> )
------------------	---

Suggested Maximum IP Cameras and Total FPS (H.264)	<ul style="list-style-type: none"><li>• 1080p: 40 channels, 1050 FPS</li><li>• 3M: 40 channels, 600 FPS</li><li>• 5M: 30 channels, 360 FPS</li><li>• 4K: 20 channels, 200 FPS</li></ul>
--	---

Suggested Maximum IP Cameras and Total FPS (H.265)	<ul style="list-style-type: none"><li>• 1080p: 40 channels, 1200 FPS</li><li>• 3M: 40 channels, 1000 FPS</li><li>• 5M: 40 channels, 600 FPS</li><li>• 4K: 30 channels, 300 FPS</li></ul>
--	--

---

## Central Management System

Provides a single interface to manage and monitor multiple Synology NAS

## VPN Server

Maximum Connections	8
---------------------	---

## Other packages

Additional 3rd-party packages are available in the Package Center

# Environment & Packaging

## Environment safety

RoHS Compliant

## Packaging Content

- Main Unit X 1
- Accessory Pack X 1
- AC Power Adapter X 1
- AC Power Cord X 1
- RJ-45 LAN Cable X 2

## Optional Accessories

- DDR4 ECC SODIMM: [D4ES03-8G/D4ES03-16G](#)
- Expansion Units: [DX525](#)
- Enterprise Series 3.5" SATA HDD: [HAT5300 Series](#)
- Plus Series 3.5" SATA HDD: [HAT3300 Series](#)
- Enterprise Series 2.5" SATA SSD: [SAT5200 Series](#)
- Enterprise Series M.2 2280 NVMe SSD: [SNV3400 Series](#)
- 10GbE Network Upgrade Module: [E10G22-T1-Mini](#)

## Warranty

3-year hardware warranty, extendable to 5 years with [EW201](#) or [Extended Warranty Plus](#)

### Notes

- The warranty period starts from the purchase date as stated on your purchase receipt. ([Learn more](#))
- [Extended Warranty Plus](#) is only available in Europe and North America. [EW201/EW202](#) is only available in Asia, Africa, and Oceania. For exact availability information please visit their respective websites.

SYNOLOGY INC. © 2025, Synology Inc. All rights reserved. Synology, the Synology logo are trademarks or registered trademarks of Synology Inc. Other product and company names mentioned herein may be trademarks of their respective companies. Synology may make changes to specification and product descriptions at anytime, without notice.